

## Engineering Conferences International ECI Digital Archives

---

Composites at Lake Louise (CALL 2015)

Proceedings

---

Fall 11-9-2015

# Icosahedral phase strengthened nanocomposites for structural components

Thomas Watson

*Pratt & Whitney*, [thomas.watson@pw.utc.com](mailto:thomas.watson@pw.utc.com)

Follow this and additional works at: [http://dc.engconfintl.org/composites\\_all](http://dc.engconfintl.org/composites_all)



Part of the [Materials Science and Engineering Commons](#)

---

### Recommended Citation

Thomas Watson, "Icosahedral phase strengthened nanocomposites for structural components" in "Composites at Lake Louise (CALL 2015)", Dr. Jim Smay, Oklahoma State University, USA Eds, ECI Symposium Series, (2016). [http://dc.engconfintl.org/composites\\_all/22](http://dc.engconfintl.org/composites_all/22)

This Conference Proceeding is brought to you for free and open access by the Proceedings at ECI Digital Archives. It has been accepted for inclusion in Composites at Lake Louise (CALL 2015) by an authorized administrator of ECI Digital Archives. For more information, please contact [franco@bepress.com](mailto:franco@bepress.com).

## ICOSAHERAL PHASE STRENGTHENED NANOCOMPOSITES FOR STRUCTURAL COMPONENTS

Thomas J. Watson, Ph.D.  
Pratt & Whitney  
thomas.watson@pw.utc.com

The discovery of quasicrystals (QCs) in rapidly solidified Al-Mn alloys has led to a fundamental change in the way that we view the structural spectrum from the amorphous to the crystalline state. This also opened up the possibility of a new class of aluminum-based alloys, because the lack of long-range order in QCs precludes the operation of the usual plastic deformation mechanisms. While a significant amount of work has been done in this area with regards to understanding QCs at the atomic level, very little work has been performed on large-scale materials because the desired microstructures tend to require high cooling rates and the QCs tend to decompose during subsequent thermomechanical processing. In recent work, 25.4 cm diameter billets of Al-Cr-Mn-X alloys have been produced via gas-atomization and consolidation, and these have been subsequently processed by warm extrusion and forging. Preliminary observations indicate that these alloys exhibit good microstructural stability, promising mechanical and physical properties, and remarkable corrosion resistance.